

**BIOCHIMICA S.p.A.**

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 1/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 1SFBIBH139901
Product name: SOFT Multi Polvere Lavatrice Blue Oxygen
Chemical name and synonym: 3SPXXBX008801

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
detergent	-	✓	✓

1.3. Details of the supplier of the safety data sheet

Name: BIOCHIMICA S.p.A.
Full address: Via Roma, 49
District and Country: 40069 Zola Predosa (BO)
Italia
Tel. +39 051 755269
Fax +39 051 752707

e-mail address of the competent person
responsible for the Safety Data Sheet

info@biochimicaspa.it

1.4. Emergency telephone number

For urgent inquiries refer to

CAVp Osp. Pediatrico Bambino Gesù, Piazza Sant' Onofrio, 4 00165 Roma Tel.: 0668593726
Az. Osp. Univ. Foggia, V.le Luigi Pinto, 1 71122 Foggia Tel.: 0881732326
Az. Osp. A. Cardarelli, Via A. Cardarelli, 9 80131 Napoli Tel.: 0817472870
CAV Policlinico Umberto I, V.le del Policlinico, 155 00161 Roma Tel.: 0649978000
CAV Policlinico A. Gemelli, Largo Agostino Gemelli, 8 00168 Roma Tel.: 063054343
Az. Osp. Careggi U.O. Tossicologia Medica, Largo Brambilla, 3 50134 Firenze Tel.: 0557947819
CAV Centro Nazionale di Inf. Tossicologica, Via Salvatore Maugeri, 10 27100 Pavia Tel.: 038224444
Osp. Niguarda Ca' Granda Piazza Ospedale Maggiore, 3 20162 Milano Tel.: 0266101029
Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS, 1 24127 Bergamo Tel.: 800883300

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Classified according to the DetNet/233

The product does not maintain combustion: see section 16 for the test report.

Hazard classification and indication:

Eye irritation, category 2

H319

Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Warning

Hazard statements:

H319

Causes serious eye irritation.

Precautionary statements:

- P101** If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P264 Wash your hands thoroughly after use.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice / attention.

Less than 5% anionic surfactants, non-ionic surfactants, oxygen-based bleaching agents, zeolites, polycarboxylates

enzymes, optical brighteners, perfumes

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
----------------	-------------	--------------------------------

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen****SODIUM CARBONATE**CAS 497-19-8 $10 \leq x < 20$ Eye Irrit. 2 H319

EC 207-838-8

INDEX 011-005-00-2

Reg. no. 01-2119485498-19

**DISODIUM CARBONATE,
COMPOUND WITH HYDROGEN
PEROXIDE (2: 3)**CAS 15630-89-4 $4,5 \leq x < 5,5$ Ox. Sol. 3 H272, Acute Tox. 4 H302, Eye Dam. 1 H318

EC 239-707-6

INDEX -

Reg. no. 01-2119457268-30

SILICIC ACID, SODIUM SALTCAS 1344-09-8 $3 \leq x < 4$ Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335

EC 215-687-4

INDEX -

Reg. no. 01-2119448725-31

**BENZENESULFONIC ACID, C10-
13-ALKYL DERIVS., SODIUM
SALTS**CAS 68411-30-3 $1,5 \leq x < 2,5$ Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

EC 270-115-0

INDEX -

Reg. no. 01-2119489428-22

**ALCOHOLS, C12-13, BRANCHED
AND LINEAR, ETHOXYLATED**CAS 160901-19-9 $0,9 \leq x < 1,1$ Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412

EC 931-954-4

INDEX -

Reg. no. 01-2119490233-42

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed



BIOCHIMICA S.p.A.

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 4/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**
SECTION 7. Handling and storage
7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection
8.1. Control parameters
SODIUM CARBONATE
Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation			10 mg/m ³				10 mg/m ³	

DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)
Predicted no-effect concentration - PNEC

Normal value in fresh water				0,035		mg/l		
Normal value in marine water				0,035		mg/l		
Normal value for water, intermittent release				0,035		mg/l		
Normal value of STP microorganisms				16,24		mg/l		

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation							5 mg/m ³	
Skin	6,4 mg/cm ²		6,4 mg/cm ²		12,8 mg/cm ²		12,8 mg/cm ²	

SILICIC ACID, SODIUM SALT
Predicted no-effect concentration - PNEC

Normal value in fresh water				7,5		mg/l		
Normal value in marine water				1		mg/l		
Normal value of STP microorganisms				348		mg/l		

Health - Derived no-effect level - DNEL / DMEL

**BIOCHIMICA S.p.A.**

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 6/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,8 mg/kg bw/d				
Inhalation								5,61 mg/m3
Skin				0,8 mg/kg bw/d				1,59 mg/kg bw/d

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,268	mg/l
Normal value in marine water	0,027	mg/l
Normal value for fresh water sediment	8,1	mg/kg
Normal value for marine water sediment	6,8	mg/kg
Normal value for water, intermittent release	0,017	mg/l
Normal value of STP microorganisms	3,43	mg/l
Normal value for the terrestrial compartment	35	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,425 mg/kg bw/d				
Inhalation			1,5	1,5 mg/m3			6	6 mg/m3
Skin				42,5 mg/kg bw/d				85 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m³; PNOC inhalable fraction: 10 mg/m³). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

**BIOCHIMICA S.p.A.**

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 7/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	powder	
Colour	white	
Odour	characteristic	
Odour threshold	Non testato analiticamente	
pH	10,4-11,4	Concentration:10%
Melting point / freezing point	Not available	
Initial boiling point	Not applicable	
Boiling range	Not available	
Flash point	Not applicable	
Evaporation rate	Not available	
Flammability (solid, gas)	Not available	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Vapour pressure	Not available	
Vapour density	Not available	
Relative density	650 - 750	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Explosive properties	not classified as explosive, it does not contain explosive substances according to CLP Art (14 (2))	
Oxidising properties	the product is not an oxidizing substance	

9.2. Other information

Information not available

**1SFIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen****SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

10.4. Conditions to avoid

Avoid environmental dust build-up.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information**11.1. Information on toxicological effects**Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Not classified (no significant component)
ATE (Oral) of the mixture:
>2000 mg/kg
ATE (Dermal) of the mixture:
Not classified (no significant component)

SILICIC ACID, ALUMINUM SODIUM SALT

LD50 (Oral) > 2000 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rabbit

LC50 (Inhalation) > 2,8 mg/l/1h rat

SILICIC ACID, SODIUM SALT

LD50 (Oral) 3400 mg/kg

LD50 (Dermal) > 5000 mg/kg

LC50 (Inhalation) 2,06 mg/l/4h

DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)

LD50 (Oral) 893 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rabbit

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

LD50 (Oral) > 300 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rabbit

SODIUM CARBONATE

LD50 (Oral) 2800 mg/kg Rat

LD50 (Dermal) > 2000 mg/kg rabbit

LC50 (Inhalation) 800 mg/l/2h guinea pig

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS



BIOCHIMICA S.p.A.

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 10/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

LD50 (Oral) 1080 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rat

SODIUM CHLORIDE

LD50 (Oral) 3000 mg/kg Rat

LD50 (Dermal) > 10000 mg/kg rabbit

LC50 (Inhalation) > 42 mg/l/1h rat

SODIUM SULFATE ANHYDROUS

LD50 (Oral) > 2000 mg/kg rat

LC50 (Inhalation) > 2,4 mg/l/4h rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information**12.1. Toxicity****SILICIC ACID, ALUMINUM SODIUM SALT**

LC50 - for Fish	1800 mg/l/96h
EC50 - for Crustacea	> 100 mg/l/48h
EC50 - for Algae / Aquatic Plants	18 mg/l/72h
Chronic NOEC for Fish	> 780 mg/l 96h
Chronic NOEC for Crustacea	> 100 mg/l 48h
Chronic NOEC for Algae / Aquatic Plants	18 mg/l 72h

SILICIC ACID, SODIUM SALT

LC50 - for Fish	260 mg/l/96h
EC50 - for Crustacea	1700 mg/l/48h
EC50 - for Algae / Aquatic Plants	207 mg/l/72h

**DISODIUM CARBONATE, COMPOUND
WITH HYDROGEN PEROXIDE (2: 3)**

LC50 - for Fish	70,7 mg/l/48h 48h
EC50 - for Crustacea	4,9 mg/l/48h
Chronic NOEC for Crustacea	2 mg/l

**ALCOHOLS, C12-13, BRANCHED AND
LINEAR, ETHOXYLATED**

EC50 - for Algae / Aquatic Plants	> 1 mg/l/72h <i>Desmodesmus subspicatus</i>
EC10 for Crustacea	> 0,1 mg/l <i>Daphnia magna</i>

SODIUM CARBONATE

LC50 - for Fish	300 mg/l/96h
EC50 - for Crustacea	200 mg/l/48h
EC50 - for Algae / Aquatic Plants	10 mg/l
Chronic NOEC for Fish	560 mg/l 96h
Chronic NOEC for Algae / Aquatic Plants	1 mg/l

BENZENESULFONIC ACID, C10-13-ALKYL

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen****DERIVS., SODIUM SALTS**

LC50 - for Fish	1,67 mg/l/96h
EC50 - for Crustacea	2,9 mg/l/48h
EC50 - for Algae / Aquatic Plants	0,91 mg/l/72h
Chronic NOEC for Fish	0,23 mg/l 72d
Chronic NOEC for Crustacea	0,5 mg/l 7d
Chronic NOEC for Algae / Aquatic Plants	0,5 mg/l 96h

SODIUM CHLORIDE

LC50 - for Fish	5840 mg/l/96h
EC50 - for Crustacea	874 mg/l/48h
Chronic NOEC for Fish	252 mg/l 33d
Chronic NOEC for Crustacea	314 mg/l 21d

SODIUM SULFATE ANHYDROUS

LC50 - for Fish	7960 mg/l/96h Pimephales promelas
EC50 - for Crustacea	1766 mg/l/48h Daphnia magna

12.2. Persistence and degradability**SILICIC ACID, ALUMINUM SODIUM SALT**

Degradability: information not available

**DISODIUM CARBONATE, COMPOUND
WITH HYDROGEN PEROXIDE (2: 3)**

Degradability: information not available

**ALCOHOLS, C12-13, BRANCHED AND
LINEAR, ETHOXYLATED**

Rapidly degradable

SODIUM CARBONATE

Solubility in water 1000 - 10000 mg/l

Degradability: information not available

**BENZENESULFONIC ACID, C10-13-ALKYL
DERIVS., SODIUM SALTS**

Rapidly degradable

SODIUM CHLORIDE

Solubility in water > 10000 mg/l

Degradability: information not available

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

SODIUM SULFATE ANHYDROUS

Solubility in water > 10000 mg/l

Degradability: information not available

12.3. Bioaccumulative potential

SILICIC ACID, ALUMINUM SODIUM SALT

BCF 1,44

BENZENESULFONIC ACID, C10-13-ALKYL
DERIVS., SODIUM SALTS

BCF 159

SODIUM SULFATE ANHYDROUS

Partition coefficient: n-octanol/water -4,38

BCF 0,5

12.4. Mobility in soilALCOHOLS, C12-13, BRANCHED AND
LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information



BIOCHIMICA S.p.A.

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 14/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



BIOCHIMICA S.p.A.

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 15/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 3 Oxidising solid, category 3

**BIOCHIMICA S.p.A.**

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 16/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament



BIOCHIMICA S.p.A.

Revision nr. 2

Dated 20/03/2020

Printed on 26/11/2020

Page n. 17/17

Replaced revision:1 (Dated: 27/03/2019)

**1SFBIBH139901 - SOFT Multi Polvere Lavatrice
Blue Oxygen**

- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

The product does not maintain combustion as per Test Report N ° 19LA00205 (method reported in point 34.4.1 Test 0.1: Test for oxidizing solids of the Manual of Tests and Criteria - United Nations, Fifth revised edition, 2009.)

Changes to previous review:

The following sections were modified:

02.